

## Safety Data Sheet

Conforms to Regulation (EC) No. 1907/2006 (REACH), Article 31, Annex II, as amended by Commission Regulation (EU) 2020/878

### ACTIVE PRIME GRIP

Date of first edition: 2/22/2022

Safety Data Sheet dated 2/22/2022

version 1

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Mixture identification:

Trade name: ACTIVE PRIME GRIP

Trade code: B0280 .030

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use: primer

Uses advised against: Data not available.

### 1.3. Details of the supplier of the safety data sheet

Company: KERAKOLL PTY LTD

88 Sutton Street, North Melbourne VIC 3051

Tel. +61 3 9448 8588

sales@kerakoll.com.au

### 1.4. Emergency telephone number

European emergency phone number 112

Kerakoll Italy - +39-0536-816511

Ireland

Poison information centre: 01 809 2166 (Daily 8am-10pm)

In case of emergency call 999 or 112

Malta

In case of emergency call: +356 2395 2000 (24h)

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### Regulation (EC) n. 1272/2008 (CLP)

0 The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).

Adverse physicochemical, human health and environmental effects:

No other hazards

### 2.2. Label elements

The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).

#### Special Provisions:

EUH208 Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one. May produce an allergic reaction.

EUH208 Contains reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

EUH210 Safety data sheet available on request.

#### Special provisions according to Annex XVII of REACH and subsequent amendments:

None

### 2.3. Other hazards

No PBT, vPvB or endocrine disruptor substances present in concentration  $\geq 0.1\%$ .

Other Hazards: Contains biocidal product:: C(M)IT/MIT (3:1); The product is identified as an article treated pursuant to art. 58 of Regulation (EU) no. 528/2012 and subsequent amendments. It is recommended to avoid possible exposure to the skin. Protective gloves and work clothes are recommended. Minimize the uncontrolled release of product into the environment. When washing work equipment, water must not be dispersed in the soil or on surface water.

---

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

N.A.

### 3.2. Mixtures

Mixture identification: ACTIVE PRIME GRIP

#### Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Numb.	Classification	Registration Number
< 0,05 %	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	CAS:2634-33-5 EC:220-120-9 Index:613-088-00-6	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 1, H400 Acute Tox. 4, H302 Skin Sens. 1, H317 Aquatic Chronic 2, H411, M-Acute:1  Specific Concentration Limits: C ≥ 0.05%: Skin Sens. 1 H317	01-2120761540-60
< 0,0015 %	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	CAS:55965-84-9 Index:613-167-00-5	Acute Tox. 2, H330 Acute Tox. 2, H310 Acute Tox. 3, H301 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410, M-Chronic:100, M-Acute:100, EUH071  Specific Concentration Limits: C ≥ 0.6%: Skin Corr. 1C H314 0.06% ≤ C < 0.6%: Skin Irrit. 2 H315 C ≥ 0.6%: Eye Dam. 1 H318 0.06% ≤ C < 0.6%: Eye Irrit. 2 H319 C ≥ 0.0015%: Skin Sens. 1A H317	

---

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

In case of skin contact:

Wash with plenty of water and soap.

In case of eyes contact:

Wash immediately with water.

In case of Ingestion:

Do not induce vomiting, get medical attention showing the SDS and label hazardous.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

### 4.2. Most important symptoms and effects, both acute and delayed

N.A.

### 4.3. Indication of any immediate medical attention and special treatment needed

N.A.

---

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO<sub>2</sub>).

Extinguishing media which must not be used for safety reasons:

None in particular.

### 5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

### 5.3. Advice for firefighters

Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

- Wear personal protection equipment.
- Remove persons to safety.
- See protective measures under point 7 and 8.

### 6.2. Environmental precautions

- Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.
- Retain contaminated washing water and dispose it.
- In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.
- Suitable material for taking up: absorbing material, organic, sand

### 6.3. Methods and material for containment and cleaning up

- Suitable material for taking up: absorbing material, organic, sand
- Wash with plenty of water.

### 6.4. Reference to other sections

- See also section 8 and 13

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

- Avoid contact with skin and eyes, inhalation of vapours and mists.
- Do not eat or drink while working.
- See also section 8 for recommended protective equipment.

### 7.2. Conditions for safe storage, including any incompatibilities

Incompatible materials:

- None in particular.

Instructions as regards storage premises:

- Adequately ventilated premises.

### 7.3. Specific end use(s)

Recommendation(s)

- None in particular

Industrial sector specific solutions:

- None in particular

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Community Occupational Exposure Limits (OEL)

Component	OEL Type	Country	Ceiling	Long Term mg/m3	Long Term ppm	Short Term mg/m3	Short Term ppm	Notes
Limestone	NATIONAL	BELGIUM		10.000				
	NATIONAL	HUNGARY		10.000				Inhalable aerosol
	NATIONAL	CHINA		8.000				Inhalable fraction
	NATIONAL	CHINA		4.000				Inhalable aerosol
	NATIONAL	KOREA, REPUBLIC OF		10.000				
	NATIONAL	JAPAN		2.000				Respirable dust
	NATIONAL	JAPAN		8.000				Total dust: Total dust comprises particles with a flow speed of 50 to 80 cm/sec at the entry of a particle sampler
	NATIONAL	SPAIN		10.000				Inhalable aerosol
	NATIONAL	SWITZERLAND		3.000				Respirable aerosol
	NATIONAL	UNITED STATES OF AMERICA		15.000				OSHA: Total dust
	NATIONAL	UNITED STATES OF AMERICA		5.000				OSHA: Respirable dust

Calcium carbonate	NATIONAL	UNITED STATES OF AMERICA	10.000	NIOSH: total dust, calcium carbonate
	NATIONAL	UNITED STATES OF AMERICA	5.000	NIOSH: Respirable aerosol, calcium carbonate
	NATIONAL	UNITED KINGDOM OF GREAT BRITAIN AND NORTHERN IRELAND	10.000	Inhalable aerosol
	NATIONAL	UNITED KINGDOM OF GREAT BRITAIN AND NORTHERN IRELAND	4.000	Respirable aerosol
	NATIONAL	ITALY	10.000	Come particelle non altrimenti specificate PNOC
	NATIONAL	CROATIA	10.000	
	NATIONAL	FRANCE	10.000	
	NATIONAL	NETHERLANDS	10.000	
	NATIONAL	PORTUGAL	10.000	
	NATIONAL	AUSTRALIA	10.000	This value is for inhalable dust containing no asbestos and <1 % crystalline silica.
	NATIONAL	CANADA	10.000	
	NATIONAL	FRANCE	10.000	inhalable aerosol
	NATIONAL	HUNGARY	10.000	inhalable aerosol
	NATIONAL	IRELAND	10.000	Inhalable fraction
	NATIONAL	IRELAND	4.000	Respirable fraction
	NATIONAL	LATVIA	6.000	
	NATIONAL	NEW ZEALAND	10.000	The value for inhalable dust containing no asbestos and less than 1% free silica.
	NATIONAL	POLAND	10.000	
	NATIONAL	SINGAPORE	10.000	(limestone, marble)
	NATIONAL	SWITZERLAND	3.000	respirable aerosol
	NATIONAL	UNITED STATES OF AMERICA	15.000	total dust
	NATIONAL	UNITED STATES OF AMERICA	5.000	respirable dust
	NATIONAL	UNITED KINGDOM OF GREAT BRITAIN AND NORTHERN IRELAND	10.000	inhalable aerosol
	NATIONAL	UNITED KINGDOM OF GREAT BRITAIN AND NORTHERN IRELAND	4.000	respirable aerosol

Titanium dioxide	NATIONAL	ITALY	10.000			
	NATIONAL	BELGIUM	10.000			
	NATIONAL	KOREA, REPUBLIC OF	10.000			
	NATIONAL	CROATIA	10.000			
	NATIONAL	NETHERLA NDS	10.000			
	NATIONAL	PORTUGAL	10.000			
	NATIONAL	SPAIN	10.000			
	NATIONAL	CHILE	5.000			respirable fraction
	NATIONAL	AUSTRALIA	10.000			This value is for inhalable dust containing no asbestos and < 1% crystalline silica
	NATIONAL	BELGIUM	10.000			
	NATIONAL	CANADA	10.000			Ontario
	NATIONAL	CANADA	10.000			Quebec
	NATIONAL	DENMARK	6.000	12.000		Long term and short term: total dust
	NATIONAL	FRANCE	11.000			Inhalable aerosol
	NATIONAL	GERMANY	0.300	2.400		DFG; Long term and short term: excluding ultrafine particles; respirable fraction; multiplied by the material density;
	NATIONAL	IRELAND	10.000			Inhalable fraction
	NATIONAL	IRELAND	8.000			Respirable fraction
	NATIONAL	JAPAN	0.300			JSOH; Nanoparticle, as Ti
	NATIONAL	LATVIA	10.000			
	NATIONAL	NEW ZEALAND	10.000			The value for inhalable dust containing no asbestos and less than 1% free silica
	NATIONAL	CHINA	8.000			Inhalable fraction
	NATIONAL	POLAND	10.000	30.000		
	NATIONAL	ROMANIA	10.000	15.000		
	NATIONAL	SINGAPORE	10.000			
	NATIONAL	KOREA, REPUBLIC OF	10.000			
	NATIONAL	SPAIN	10.000			Inhalable aerosol
	NATIONAL	SWEDEN	5.000			Inhalable aerosol
	NATIONAL	SWITZERLA ND	3.000			Respirable aerosol
	NATIONAL	UNITED STATES OF AMERICA	15.000			OSHA; total dust
	NATIONAL	UNITED KINGDOM OF GREAT BRITAIN AND NORTHERN IRELAND	10.000			Inhalable aerosol
	NATIONAL	UNITED KINGDOM OF GREAT BRITAIN AND NORTHERN	4.000			Respirable aerosol

silicon dioxide, chemically prepared	IRELAND				
	NATIONAL	ITALY	10.000		
	NATIONAL	ARGENTINA	10.000		
	NATIONAL	AUSTRIA	5.000	10.000	
	NATIONAL	BULGARIA	10.000		
	NATIONAL	CROATIA	10.000		Total dust
	NATIONAL	CROATIA	4.000		Respirable dust
	NATIONAL	ESTONIA	5.000		
	NATIONAL	GREECE	10.000		
	NATIONAL	GREECE	5.000		
	NATIONAL	INDONESIA	10.000		
	NATIONAL	LITHUANIA	5.000		
	NATIONAL	MALAYSIA	10.000		
	NATIONAL	MEXICO	10.000		
	NATIONAL	NORWAY	5.000		
	NATIONAL	PORTUGAL	10.000		
	NATIONAL	RUSSIAN FEDERATIO N	10.000		
	NATIONAL	SLOVAKIA	5.000		
	NATIONAL	SLOVENIA	6.000		
	NATIONAL	SOUTH AFRICA	10.000		Inhalable particulate
	NATIONAL	SOUTH AFRICA	5.000		Respirable particulate
	NATIONAL	TAIWAN, PROVINCE OF CHINA	10.000		
	ACGIH	NNN	10		A4 - LRT irr
	NATIONAL	AUSTRALIA	2.000		This value is for inhalable dust containing no asbestos and < 1% crystalline silica
	NATIONAL	AUSTRIA	4.000		Inhalable aerosol
	NATIONAL	BELGIUM	10.000		
	NATIONAL	CANADA	10.000		Ontario
	NATIONAL	CANADA	6.000		Quebec
	NATIONAL	DENMARK	2.000	4.000	Inhalable aerosol
	NATIONAL	FINLAND	5.000		
	NATIONAL	GERMANY	4.000		AGS; Inhalable aerosol
	NATIONAL	GERMANY	4.000		DFG; Inhalable aerosol
	NATIONAL	IRELAND	6.000		Inhalable fraction
	NATIONAL	IRELAND	2.400		Respirable fraction
	NATIONAL	LATVIA	1.000		
	NATIONAL	NEW ZEALAND	1.000		
	NATIONAL	CHINA	2.000		Inhalable fraction
	NATIONAL	SINGAPORE	10.000		
	NATIONAL	KOREA, REPUBLIC OF	10.000		
	NATIONAL	SWITZERLA ND	4.000		Inhalable aerosol
	NATIONAL	UNITED STATES OF AMERICA	80.000		OSHA; 80/ % silica total dust (MG3)

Aluminium oxide	NATIONAL	UNITED KINGDOM OF GREAT BRITAIN AND NORTHERN IRELAND	6.000		Inhalable aerosol
	NATIONAL	UNITED KINGDOM OF GREAT BRITAIN AND NORTHERN IRELAND	2.400		Respirable aerosol
	NATIONAL	ESTONIA	2.000		
	NATIONAL	SLOVENIA	4.000		Inhalable fraction
	NATIONAL	SOUTH AFRICA	6.000		Inhalable particulate
	NATIONAL	SOUTH AFRICA	3.000		Respirable particulate
	NATIONAL	FRANCE	10.000		Respirable aerosol
	NATIONAL	UNITED KINGDOM OF GREAT BRITAIN AND NORTHERN IRELAND	10.000		Inhalable aerosol
	NATIONAL	UNITED KINGDOM OF GREAT BRITAIN AND NORTHERN IRELAND	4.000		Respirable aerosol
	NATIONAL	AUSTRALIA	10.000		Inhalable dust containing no asbestos and < 1% crystalline silica
	NATIONAL	AUSTRIA	10.000	20.000	Long term: inhalable fraction; Short term: inhalable fraction, 60 minutes average value
	NATIONAL	AUSTRIA	5.000	10.000	Long term: respirable fraction; Short term: respirable fraction, 60 minutes average value
	NATIONAL	CANADA	10.000		
	NATIONAL	DENMARK	5.000	10.000	Calculated as Al; Long term and Short term: inhalable aerosol
	NATIONAL	DENMARK	2.000	4.000	Calculated as Al; Long term and Short term: respirable aerosol
	NATIONAL	GERMANY	4.000		Inhalable aerosol
	NATIONAL	GERMANY	1.500		Respirable aerosol
	NATIONAL	HUNGARY	6.000		Respirable aerosol
	NATIONAL	IRELAND	10.000		Inhalable fraction
	NATIONAL	IRELAND	4.000		Respirable fraction
	NATIONAL	LATVIA	6.000		
	NATIONAL	NEW ZEALAND	10.000		The value for inhalable dust containing no asbestos and less than 1% free silica
	NATIONAL	POLAND	2.500	16.000	Aluminium trioxide as Al fume; Long term: total dust fume

	NATIONAL	POLAND	1.200				Aluminium trioxide as Al fume; Long term: respirable dust
	NATIONAL	ROMANIA	2.000	0.500	5.000	1.200	Long term and short term: aerosol
	NATIONAL	SINGAPORE	10.000				
	NATIONAL	KOREA, REPUBLIC OF	10.000				
	NATIONAL	SPAIN	10.000				Inhalable aerosol
	NATIONAL	SPAIN	5.000				Respirable aerosol
	NATIONAL	SWEDEN	5.000				Inhalable aerosol
	NATIONAL	SWEDEN	2.000				Respirable aerosol
	NATIONAL	SWITZERLA ND	3.000				Respirable aerosol
	NATIONAL	UNITED STATES OF AMERICA	15.000				OSHA; Total dust
	NATIONAL	UNITED STATES OF AMERICA	5.000				OSHA; Inhalable dust
(2- methoxymethylethoxy )propanol	NATIONAL	ITALY	308.000	50.000			
	EU	NNN	308.000	50.000			
reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one and 2-methyl-2H- isothiazol-3-one (3:1)	NATIONAL	AUSTRIA	0.050				
	NATIONAL	GERMANY	0.200		0.400		DFG; Long term and short term: inhalable fraction
	NATIONAL	SWITZERLA ND	0.200		0.400		Inhalable fraction
	NATIONAL	KOREA, REPUBLIC OF	0.100				
	NATIONAL	NETHERLA NDS	0.200				
octamethylcyclotetrasiloxane	NATIONAL	UNITED STATES OF AMERICA		10.000			OARS WEEL

#### Predicted No Effect Concentration (PNEC) values

Component	CAS-No.	PNEC Limit	Exposure Route	Exposure Frequency
1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	2634-33-5	4.030 µg/l	Freshwater	
		1.100 µg/l	Intermittent releases (freshwater)	
		403.000 ng/L	Marine water	
		110.000 ng/L	Intermittent releases (marine water)	
		1.030 mg/l	Microorganisms in sewage treatments	
		49.900 µg/kg	Freshwater sediments	
		4.990 µg/kg	Marine water sediments	
		3.000 mg/kg	Soil	
reaction mass of 5-	55965-84-9	3.390 µg/l	Freshwater	



chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

3.390 µg/l	Intermittent releases (freshwater)
3.390 µg/l	Marine water
3.390 µg/l	Intermittent releases (marine water)
230.000 µg/l	Microorganisms in sewage treatments
27.000 µg/l	Freshwater sediments
27.000 µg/l	Marine water sediments
10.000 µg/l	Soil

#### Derived No Effect Level (DNEL) values

Component	CAS-No.	Worker Industry	Worker Professional	Consumer	Exposure Route	Exposure Frequency
1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	2634-33-5		6.810 mg/m <sup>3</sup>	1.200 mg/m <sup>3</sup>	Human Inhalation	Long Term, systemic effects
			966.000 µg/kg	345.000 µg/kg	Human Dermal	Long Term, systemic effects
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	55965-84-9		20.000 µg/m <sup>3</sup>	20.000 µg/m <sup>3</sup>	Human Inhalation	Long Term, local effects
			40.000 µg/m <sup>3</sup>	20.000 µg/m <sup>3</sup>	Human Inhalation	Short Term, local effects
				90.000 µg/kg	Human Oral	Long Term, systemic effects
				110.000 µg/kg	Human Oral	Short Term, systemic effects

## 8.2. Exposure controls

Eye protection:

Not needed for normal use. Anyway, operate according good working practices.

Protection for skin:

No special precaution must be adopted for normal use.

Protection for hands:

Not needed for normal use.

Respiratory protection:

N.A.

Thermal Hazards:

N.A.

Environmental exposure controls:

N.A.

Hygienic and Technical measures

N.A.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical State Liquid

Color: White

Odour: Odourless

Odour threshold: N.A.

pH: =8.50 ( OECD 122 )

Kinematic viscosity: N.A.

Melting point / freezing point: N.A.

Initial boiling point and boiling range: N.A.

Flash point: > 100°C / 212°F  
Upper/lower flammability or explosive limits: N.A.  
Vapour density: N.A.  
Vapour pressure: N.A.  
Relative density: 1.50 g/cm<sup>3</sup> ( ISO 2811 )  
Solubility in water: Miscible  
Solubility in oil: N.A.  
Partition coefficient (n-octanol/water): N.A.  
Auto-ignition temperature: N.A.  
Decomposition temperature: N.A.  
Flammability: N.A.  
Volatile Organic compounds - VOCs = 0.05 % ; 0.48 g/l

**Particle characteristics:**

Particle size: N.A.

**9.2. Other information**

Miscibility: N.A.  
Conductivity: N.A.  
Evaporation rate: N.A.  
Viscosity: 2,750.00 cPo ( UNI 8490 )  
No other relevant information

---

**SECTION 10: Stability and reactivity**

**10.1. Reactivity**

Stable under normal conditions

**10.2. Chemical stability**

Data not available.

**10.3. Possibility of hazardous reactions**

None.

**10.4. Conditions to avoid**

Stable under normal conditions.

**10.5. Incompatible materials**

None in particular.

**10.6. Hazardous decomposition products**

None.

---

**SECTION 11: Toxicological information**

**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**

**Toxicological Information of the Preparation**

a) acute toxicity	Not classified Based on available data, the classification criteria are not met
b) skin corrosion/irritation	Not classified Based on available data, the classification criteria are not met
c) serious eye damage/irritation	Not classified Based on available data, the classification criteria are not met
d) respiratory or skin sensitisation	Not classified Based on available data, the classification criteria are not met
e) germ cell mutagenicity	Not classified Based on available data, the classification criteria are not met
f) carcinogenicity	Not classified Based on available data, the classification criteria are not met
g) reproductive toxicity	Not classified Based on available data, the classification criteria are not met
h) STOT-single exposure	Not classified Based on available data, the classification criteria are not met
i) STOT-repeated exposure	Not classified Based on available data, the classification criteria are not met
j) aspiration hazard	Not classified Based on available data, the classification criteria are not met

**Toxicological information on main components of the mixture:**

1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	a) acute toxicity	LD50 Oral Rat = 670.00000 mg/kg	
		LD50 Skin Rat > 2000.00000 mg/kg	
	b) skin corrosion/irritation	Skin Irritant Rabbit Negative	
	c) serious eye damage/irritation	Eye Corrosive Positive	irreversible damage
	d) respiratory or skin sensitisation	Skin Sensitization Guinea pig Positive	
	f) carcinogenicity	Genotoxicity Rat Negative	Oral route
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	g) reproductive toxicity	No Observed Adverse Effect Level Oral Rat = 112.00000 mg/kg	
	a) acute toxicity	LD50 Oral Rat = 69.00 mg/kg	
		LD50 Skin Rabbit = 141.00 mg/kg	
		LC50 Inhalation Rat = 0.33 mg/l 4h	
	b) skin corrosion/irritation	Skin Irritant Rabbit Positive	
	c) serious eye damage/irritation	Eye Corrosive Rabbit Positive	
	d) respiratory or skin sensitisation	Skin Sensitization Positive	
	f) carcinogenicity	Genotoxicity Negative	
		Carcinogenicity Skin Negative	
	g) reproductive toxicity	No Observed Adverse Effect Level Oral Rat = 22.70000 mg/kg	

**11.2 Information on other hazards****Endocrine disrupting properties:**

No endocrine disruptor substances present in concentration  $\geq 0.1\%$

**SECTION 12: Ecological information****12.1. Toxicity**

Adopt good working practices, so that the product is not released into the environment.

Eco-Toxicological Information:

**List of Eco-Toxicological properties of the product**

Not classified for environmental hazards.

No data available for the product

**List of Eco-Toxicological properties of the components**

Component	Ident. Numb.	Ecotox Data
1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	CAS: 2634-33-5 - EINECS: 220-120-9 - INDEX: 613-088-00-6	a) Aquatic acute toxicity : LC50 Fish <i>Oncorhynchus mykiss</i> = 2.15000 mg/L 96h OECD Guideline 203
		a) Aquatic acute toxicity : EC50 <i>Daphnia magna</i> = 2.90000 mg/L 48h OECD Guideline 202
		a) Aquatic acute toxicity : EC50 Algae green alga <i>Selenastrum capricornutum</i> freshwater algae = 110.00000 µg/L OECD Guideline 201
		d) Terrestrial toxicity : EC50 Worm <i>Eisenia fetida</i> > 410.60000 mg/kg OECD Guideline 207 - Duration 14d
		d) Terrestrial toxicity : EC10 soil microorganisms = 263.70000 mg/kg - long term

a) Aquatic acute toxicity : NOEC Sludge activated sludge 10.30000 mg/L 3h OECD Guideline 209

e) Plant toxicity : LC50 Triticum aestivum = 200.00000 mg/kg OECD Guideline 208

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) CAS: 55965-84-9 - INDEX: 613-167-00-5 a) Aquatic acute toxicity : LC50 Fish Oncorhynchus mykiss = 0.19000 mg/L 96h EPA OPP 72-1 (Fish Acute Toxicity Test)

b) Aquatic chronic toxicity : NOEC Fish Danio rerio = 0.02000 mg/L „OECD Guideline 210 (Fish, Early-Life Stage Toxicity Test) - 35days

a) Aquatic acute toxicity : LC50 Daphnia magna = 0.16000 mg/L 48h EPA OPP 72-2 (Aquatic Invertebrate Acute Toxicity Test)

b) Aquatic chronic toxicity : NOEC Daphnia magna = 0.10000 mg/L EPA OPP 72-4 (Fish Early Life-Stage and Aquatic Invertebrate Life-Cycle Studies) - 21days

a) Aquatic acute toxicity : EC50 Algae Skeletonema costatum = 0.00 mg/L 96h „OECD Guideline 201 (Alga, Growth Inhibition Test)

a) Aquatic acute toxicity : EC50 Sludge activated sludge = 4.50000 mg/L 3h „OECD Guideline 209 (Activated Sludge, Respiration Inhibition Test)

d) Terrestrial toxicity : LC50 Worm Eisenia fetida = 613.00000 mg/kg „OECD Guideline 207 (Earthworm, Acute Toxicity Tests) - 14days

e) Plant toxicity : NOEC Trifolium pratense, Oryza sativa, Brassica napus = 1000.00000 mg/L OECD Guideline 208 (Terrestrial Plants Test: Seedling Emergence and Seedling Growth Test) - 21days

## 12.2. Persistence and degradability

Component	Persistence/Degradability:	Test	Notes
1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	Non-readily biodegradable	CO2 production	OECD Guideline 301C
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	Non-readily biodegradable		

## 12.3. Bioaccumulative potential

Component	Bioaccumulation	Test	Value	Notes
1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	Bioaccumulative	BCF - Bioconcentration factor	6.620	
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	Bioaccumulative	BCF - Bioconcentration factor	54.000	≤ 54

## 12.4. Mobility in soil

N.A.

## 12.5. Results of PBT and vPvB assessment

No PBT/vPvB Ingredients are present

## 12.6 Endocrine disrupting properties

No endocrine disruptor substances present in concentration >= 0.1%

## 12.7 Other adverse effects

N.A.

# SECTION 13: Disposal considerations

## 13.1. Waste treatment methods

Recover if possible. In so doing, comply with the local and national regulations currently in force.

A waste code according to European waste catalogue (EWC) cannot be specified, due to dependence on the usage. Contact an authorized waste disposal service.

## Properties of waste which render it hazardous (Annex III, Directive 2008/98/EC):

N.A.

# SECTION 14: Transport information

**14.1. UN number or ID number**

N/A

**14.2. UN proper shipping name**

ADR-Shipping Name: N/A

IATA-Technical name: N/A

IMDG-Technical name: N/A

**14.3. Transport hazard class(es)**

ADR-Class: N/A

IATA-Class: N/A

IMDG-Class: N/A

**14.4. Packing group**

ADR-Packing Group: N/A

IATA-Packing group: N/A

IMDG-Packing group: N/A

**14.5. Environmental hazards**

Marine pollutant: No

Environmental Pollutant: No

IMDG-EMS: N/A

**14.6. Special precautions for user**

Road and Rail ( ADR-RID ) :

ADR-Label: N/A

ADR - Hazard identification number: N/A

ADR-Special Provisions: N/A

ADR-Transport category (Tunnel restriction code): N/A

ADR Limited Quantities: N/A

ADR Excepted Quantities: N/A

Air ( IATA ) :

IATA-Passenger Aircraft: N/A

IATA-Cargo Aircraft: N/A

IATA-Label: N/A

IATA-Subsidiary hazards: N/A

IATA-Erg: N/A

IATA-Special Provisioning: N/A

Sea ( IMDG ) :

IMDG-Stowage Code: N/A

IMDG-Stowage Note: N/A

IMDG-Subsidiary hazards: N/A

IMDG-Special Provisioning: N/A

**14.7. Maritime transport in bulk according to IMO instruments**

N.A.

---

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values)

Regulation (EC) n. 1907/2006 (REACH)

Regulation (EC) n. 1272/2008 (CLP)

Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013

Regulation (EU) n. 286/2011 (ATP 2 CLP)

Regulation (EU) n. 618/2012 (ATP 3 CLP)

Regulation (EU) n. 487/2013 (ATP 4 CLP)

Regulation (EU) n. 944/2013 (ATP 5 CLP)

Regulation (EU) n. 605/2014 (ATP 6 CLP)

Regulation (EU) n. 2015/1221 (ATP 7 CLP)

Regulation (EU) n. 2016/918 (ATP 8 CLP)

Regulation (EU) n. 2016/1179 (ATP 9 CLP)

Regulation (EU) n. 2017/776 (ATP 10 CLP)

Regulation (EU) n. 2018/669 (ATP 11 CLP)

Regulation (EU) n. 2018/1480 (ATP 13 CLP)

Regulation (EU) n. 2019/521 (ATP 12 CLP)

Regulation (EU) n. 2020/217 (ATP 14 CLP)

Regulation (EU) n. 2020/1182 (ATP 15 CLP)

Regulation (EU) n. 2021/643 (ATP 16 CLP)

Regulation (EU) n. 2020/878

Regulation (EC) nr 648/2004 (Detergents).

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product: None

Restrictions related to the substances contained: 28, 70, 75

Provisions related to directive EU 2012/18 (Seveso III):

N.A.

#### **Regulation (EU) 649/2012 (PIC regulation):**

No Substance Listed

German Water Hazard Class.

Class 1: slightly hazardous for water.

SVHC Substances:

No data available

#### **REGULATION (EU) No 528/2012**

The product is identified as an article treated pursuant to art. 58 of Regulation (EU) no. 528/2012 and subsequent amendments.

Substances included in Regulation (EU) n. 528/2012 (concerning the making available on the market and use of biocidal products):;

Nomenclature IUPAC: 1,2-benzisothiazol-3(2H)-one

Nomenclature BPR: BIT

CAS number: 2634-33-5

Product-type 6: Preservatives for products during storage

Assessment status: Initial application for approval in progress. Competent authority evaluation

; Nomenclature IUPAC: Mixture of 5-chloro-2-methyl-2H- isothiazol-3-one (EINECS 247-500-7) and 2-methyl-2H-isothiazol-3-one (EINECS 220-239-6) (Mixture of CMIT/MIT)

Nomenclature BPR: C(M)IT/MIT (3:1)

CAS number: 55965-84-9

Product-type 6: Preservatives for products during storage

Assessment status: Approved

Commission Implementing Regulation (EU) 2016/131 ; Nomenclature IUPAC: Bronopol

Nomenclature BPR: Bronopol

CAS number: 52-51-7

Product-type 6: Preservatives for products during storage

Assessment status: Initial application for approval in progress. Competent authority evaluation

#### **15.2. Chemical safety assessment**

No Chemical Safety Assessment has been carried out for the mixture.

---

### **SECTION 16: Other information**

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

Legend to abbreviations and acronyms used in the safety data sheet:

ACGIH: American Conference of Governmental Industrial Hygienists

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

AND: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ATE: Acute Toxicity Estimate

ATEmix: Acute toxicity Estimate (Mixtures)

BCF: Biological Concentration Factor

BEI: Biological Exposure Index

BOD: Biochemical Oxygen Demand

CAS: Chemical Abstracts Service (division of the American Chemical Society).

CAV: Poison Center

CE: European Community

CLP: Classification, Labeling, Packaging.

CMR: Carcinogenic, Mutagenic and Reprotoxic  
 COD: Chemical Oxygen Demand  
 COV: Volatile Organic Compound  
 CSA: Chemical Safety Assessment  
 CSR: Chemical Safety Report  
 DMEL: Derived Minimal Effect Level  
 DNEL: Derived No Effect Level.  
 DPD: Dangerous Preparations Directive  
 DSD: Dangerous Substances Directive  
 EC50: Half Maximal Effective Concentration  
 ECHA: European Chemicals Agency  
 EINECS: European Inventory of Existing Commercial Chemical Substances.  
 ES: Exposure Scenario  
 GefStoffVO: Ordinance on Hazardous Substances, Germany.  
 GHS: Globally Harmonized System of Classification and Labeling of Chemicals.  
 IARC: International Agency for Research on Cancer  
 IATA: International Air Transport Association.  
 IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).  
 IC50: half maximal inhibitory concentration  
 ICAO: International Civil Aviation Organization.  
 ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).  
 IMDG: International Maritime Code for Dangerous Goods.  
 INCI: International Nomenclature of Cosmetic Ingredients.  
 IRCCS: Scientific Institute for Research, Hospitalization and Health Care  
 KAFH: Keep Away From Heat  
 KSt: Explosion coefficient.  
 LC50: Lethal concentration, for 50 percent of test population.  
 LD50: Lethal dose, for 50 percent of test population.  
 LDLo: Leathal Dose Low  
 N.A.: Not Applicable  
 N/A: Not Applicable  
 N/D: Not defined/ Not available  
 NA: Not available  
 NIOSH: National Institute for Occupational Safety and Health  
 NOAEL: No Observed Adverse Effect Level  
 OSHA: Occupational Safety and Health Administration.  
 PBT: Persistent, Bioaccumulative and Toxic  
 PGK: Packaging Instruction  
 PNEC: Predicted No Effect Concentration.  
 PSG: Passengers  
 RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.  
 STEL: Short Term Exposure limit.  
 STOT: Specific Target Organ Toxicity.  
 TLV: Threshold Limiting Value.  
 TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).  
 vPvB: Very Persistent, Very Bioaccumulative.  
 WGK: German Water Hazard Class.