Printing date 14/11/2023 version n° 3 Revision: 14/11/2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier

- Trade name: BIOFLEX S1 ZERO

- Article number: K0333.020

- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.

- Application of the preparation: Adhesives

- 1.3 Details of the supplier of the safety data sheet

- Manufacturer/Supplier:

KERAKOLL Pty Ltd.

88 Sutton Street, North Melbourne VIC 3051

Tel. +613 9448 8588 sales@kerakoll.com.au

- E-mail address of the competent person responsible for the SDS: safety@kerakoll.com
- Informing department: Product safety department
- 1.4 Emergency telephone number:

+613 9448 8588 (Kerakoll AU)

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.



 \checkmark

Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

- 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

- Hazard pictograms





GHS05 GHS07

- Signal word Danger
- Hazard-determining components of labelling:

White Portland Cement with low chromate content (Cr VI < 0,0002%)

Flue Dust

- Hazard statements

H315 Causes skin irritation.

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

(Contd. on page 2)

(Contd. of page 1)

Safety data sheet according to 1907/2006/EC, Article 31

version n° 3 Printing date 14/11/2023 Revision: 14/11/2023

Trade name: BIOFLEX S1 ZERO

H335 May cause respiratory irritation.

- Precautionary statements

P260 Do not breathe dust.

P280 Wear protective gloves / eye protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

Dispose of contents/container in accordance with local/regional/ P501

national/international regulations.

- 2.3 Other hazards

- Results of PBT and vPvB assessment

- PBT: Not applicable. - vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- 3.2 Mixtures
- **Description:** Mixture consisting of the following components.

- Dangerous components:		
CAS: 65997-15-1 EINECS: 266-043-4	White Portland Cement with low chromate content (Cr VI < 0,0002%)	25-50%
	♦ Eye Dam. 1, H318; ♦ Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335	
CAS: 68475-76-3 EINECS: 270-659-9 Reg.nr.: 01-2119486767-17-XXXX	Flue Dust	≥0-<2.5%

- Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- After inhalation In case of unconsciousness bring patient into stable side position for transport.
- After skin contact Instantly wash with water and soap and rinse thoroughly.
- After eye contact

Rinse opened eye for several minutes under running water. Then consult doctor.

- After swallowing In case of persistent symptoms consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents Use fire fighting measures that suit the environment.
- 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

- 5.3 Advice for firefighters
- Protective equipment: Put on breathing apparatus.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Put on breathing apparatus.

(Contd. on page 3)

Printing date 14/11/2023 version n° 3 Revision: 14/11/2023

Trade name: BIOFLEX S1 ZERO

Wear protective equipment. Keep unprotected persons away.

(Contd. of page 2)

- 6.2 Environmental precautions: Do not allow to enter drainage system, surface or ground water.

- 6.3 Methods and material for containment and cleaning up:

Use neutralising agent.

Dispose of contaminated material as waste according to item 13.

Ensure adequate ventilation.

- 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling

Thorough dedusting.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of dust.

- Information about protection against explosions and fires: Keep breathing equipment ready.
- 7.2 Conditions for safe storage, including any incompatibilities
- Storage
- Requirements to be met by storerooms and containers: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- 8.1 Control parameters
- Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: Respirable crystalline silica 0%
- 8.2 Exposure controls
- Personal protective equipment
- General protective and hygienic measures

Take off immediately all contaminated clothing

Wash hands during breaks and at the end of the work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

- Breathing equipment: Use breathing protection in case of insufficient ventilation.
- Protection of hands:

Protective gloves.

Impervious gloves

- Material of gloves

Rubber gloves

PVC or PE gloves

- Eye protection: Tightly sealed safety glasses.

ΕN

Printing date 14/11/2023 version n° 3 Revision: 14/11/2023

Trade name: BIOFLEX S1 ZERO

(Contd. of page 3)

SECTION 9: Physical and chemical properties

- 9.1 Information on basic physical and chemical properties

- General Information

- Appearance:

Form: Powder
Colour: Grey
- Odour: Odourless
- Odour threshold: Not determined.

- pH-value at 20 °C:

- Change in condition

Melting point/freezing point: Not determined Initial boiling point and boiling range: Not determined

Flash point: Not flammable
 Inflammability (solid, gaseous) Not determined.

- Decomposition temperature: Not determined.

- **Self-inflammability:** Product is not selfigniting.

- **Explosive properties:** Product is not explosive.

- Critical values for explosion:

Upper: Not determined.

- Vapour pressure: Not applicable.

Density at 20 °C
 Relative density
 Vapour density
 Evaporation rate
 1.19 g/cm³
 Not determined.
 Not applicable.
 Not applicable.

- Solubility in / Miscibility with

Water: Soluble

- Partition coefficient: n-octanol/water: Not determined.

- Viscosity:

Lower:

dynamic: Not applicable. **kinematic:** Not applicable.

9.2 Other information
 No further relevant information available.

Not determined.

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

- 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.

(Contd. on page 5)

Printing date 14/11/2023 version n° 3 Revision: 14/11/2023

Trade name: BIOFLEX S1 ZERO

(Contd. of page 4)

 LD/LC50 values 	that are	relevant for	classification:
------------------------------------	----------	--------------	-----------------

68475-76-3 Flue Dust

Oral LD50 >2,000 Practically nontoxic mg (Rat)

Dermal LD50 >2,000 mg/kg (mouse) Inhalative LC50/4 h 6.04 mg/l (mouse)

- Primary irritant effect:
- Skin corrosion/irritation

Causes skin irritation.

- Serious eye damage/irritation

Causes serious eye damage.

- Respiratory or skin sensitisation

May cause an allergic skin reaction.

- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure

May cause respiratory irritation.

- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- 12.1 Toxicity

- Aquatic toxicity:

68475-76-3 Flue Dust

CE50 48h | 100 mg/L (Daphnia)

CEr50 96h 28.2 mg/L (Alghe/piante acquatiche)

EC50 72h | 22.4 mg/L (Alghe/piante acquatiche)

- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

- 12.5 Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods
- Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- Waste disposal key number: 16 03 03 - inorganic wastes containing dangerous substances

(Contd. on page 6)

Printing date 14/11/2023 version n° 3 Revision: 14/11/2023

Trade name: BIOFLEX S1 ZERO

(Contd. of page 5)

- Uncleaned packagings:

- Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information		
- 14.1 UN-Number	The product is not dangerous according to ADR, ADN, IMDG, IATA.	
- ADR, ADN, IMDG, IATA	Void	
- 14.2 UN proper shipping name- ADR, ADN, IMDG, IATA	Void	
- 14.3 Transport hazard class(es)		
- ADR, ADN, IMDG, IATA - Class	Void	
- 14.4 Packing group - ADR, IMDG, IATA	Void	
- 14.5 Environmental hazards:	Not applicable.	
- 14.6 Special precautions for user	Not applicable.	
- 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable.		
- UN "Model Regulation":	Void	

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU
- Named dangerous substances ANNEX I None of the ingredients is listed.
- REGULATION (EC) No 1907/2006 ANNEX XVII

The product contains Cr(VI) below limit set out in Annex XVII, entry 47

- National regulations

The product is subject to classification in accordance with the prevailing version of the regulations on hazardous materials.

- Additional classification according to Decree on Hazardous Materials, Annex II: -
- Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

- Relevant phrases

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

- Department issuing data specification sheet: SCP
- Contact: Dr. B. Brina c/o Kerakoll S.p.A. tel. +39-0536-816511 fax +39-0536-816581
- Others regulations

The safety data sheet has been drawn up in accordance with European directives 1999/45/EC, 2001/58/EC, 2001/59/EC and 2001/60/EC.

(Contd. on page 7)

version n° 3 Revision: 14/11/2023 Printing date 14/11/2023

Trade name: BIOFLEX S1 ZERO

(Contd. of page 6)

- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Skin Sens. 1: Skin sensitisation – Category 1 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

- * Data compared to the previous version altered.